

Full Line Catalog

LITE O IT

LITE O IT

with wireless

CUSTER


PRODUCTS
L I M I T E D



Agricultural
Lights



Marine
Lights



Off-Road
Lights




Safety
Lights



Towing
Lights



Work
Lights



Trailer
Lights



Custer Products LTD. believes in the relentless pursuit of excellence in everything we do. We take pride in our commitment to quality products and service. We are the Leader in Lights™ for a reason.

Custer Products manufactures and distributes LED lights, towing lights and related lighting products to the trucking, towing, agricultural, off-road and safety industries through a network of distributors in the United States, Canada, Central and South America and Europe. We sell under the Custer, Lite-It and Lite-It Wireless brand names. Founded in 1993, we operate out of a 32,000 square foot facility in Massillon, Ohio.

CONTENTS

LED Marker & Auxiliary Lights	4-7	LED Tow Light Bars	22
Mounting Boxes	8	Incandescent Tow Light Bars	23
Color Safety Flashers	9	Lite-it-Wireless Bars	24-25
LED Rooftop Light Bars	10-11	Accessories	26
Trailer Lights and Kits	12	Plugs, Sockets and Adapters	27
Agricultural Lights	13	Specialty Products	28
Commercial Tow Lights	14	SMV & Conspicuity	29
LED Work Light Bars	15	Incandescent Lights	30
LED Work Lights	16-17	Product Warranty	31
Beacons	18-19		
LED Strobes	20-21		

NEW at Custer Products:



WL54AW
LED Flood Work Light & Amber Strobe Light Combo



CPL65R7FB
6.5" Flange Mount RED S/T/T Light with 7 Diodes and Chrome Plated Bezel



WL16FQ-SW
16-watt CREE LED Flood Work Light with Switch on the back



STR63AF
STR63AWF
18-watt High Powered Strobe w/Built-in LED Flood Work Light



STR-XLAW1
LED Class | Surface Mount Strobe
(also Available in Amber)



STR-HEX30
LED 30-watt Hexagon Shaped Work Light, 2964 Lumens



WL9PL-B
WL9PL-W

- 9-watt Perimeter Light
- 40 degree angle
- Surface mount. 5"long



WL18PL-B
WL18PL-W

- 18-watt Perimeter Light
- 40 degree angle
- Surface mount. 9"long



WL27PL-B
WL27PL-W

- 27-watt Perimeter Light
- 40 degree angle
- Surface mount. 12.9"long

LED MARKER & AUXILIARY LIGHTS



4" x 0.75" LED Narrow Marker Lamp

CPL95A Amber Light, 7 LED
CPL95R Red Light, 7 LED

- Built in 2-wire pigtail
- 3" hole mount centers



LED Marker Lights with Reflex

CPL126A Amber Light, 3 LED
CPL127R Red Light, 3 LED

- Built in 2 wire pigtail
- Reflex lens
- 4" long x 1.5" high



4" x 2" Sealed LED Marker Lights

CPL120A Amber Light, 16 LED
CPL120R Red Light, 16 LED
G120B-C Chrome Bracket

(mounts with or without bracket)

- Built in 2 wire pigtail
- 3" hole mount centers



2" Sealed LED Marker Lights

CPL2A Amber light, 10 LED
CPL2R Red light, 10 LED

- Uses G2G rubber grommet
- Standard GP1 2-wire plug



2.5" Sealed LED Marker Lights

CPL25A Amber Light, 13 LED
CPL25R Red Light, 13 LED
CPL25AR Amber Light, 8 LED with reflex
CPL25RR Red Light, 8 LED with reflex
GP1 2-wire plug
G25G 2.5" rubber grommet
G25G-O Open-back grommet
G25G-CB Closed-back grommet



2.5" x 1.25" Sealed LED Marker Lights

CPL26A Amber, 3 LED
CPL26R Red, 2 LED
G26G Rubber grommet
G26B-C Chrome (wired) mounting bracket
GP1 without bracket you need this plug



3.75" x 1.25" Sealed LED Lights

CPL375A Amber light, 4 LED
CPL375R Red light, 4 LED
CPL375RA Red/Amber, 6 LED
G3B-C Wired chrome mount
G3B-B Wired black mount



LED 4" x 2" Oblong Clearance / Side Marker Lights with Reflex

CPL42A Amber light, 4 LED
CPL42R Red light, 4 LED

- Built in 2 wire pigtail



LED 27/8" x 21/8" Stud Mount Side Marker Light with Reflex

CPL275A Amber light, 6 LED, 2 wire
CPL275R Red light, 6 LED, 2 wire



3/4" LED Lights

- CPL1A** Amber light
- CPL1R** Red light
- CPL1W** White light
- CPL1A-CL** Amber light with clear lens
- CPL1R-CL** Red light with clear lens
- CPL1-BEZEL** Chrome bezel
- 3/4" Diameter



3/4" LED Lights with Bullet Ends

- CPL1AH** Amber Light with bullet ends
- CPL1RH** Red Light with bullet ends
- CPL1WH** White light with bullet ends
- 3/4" Diameter



5.5" Sealed Rectangular LED Lights

- CPL55A** Amber turn signal light, 15 LED
- CPL55R** Red stop/tail/turn light, 15 LED
- GP2** 3-wire plug
- G55G** 5.5" rubber grommet



4" Sealed Round LED Lights

- CPL4A10** Amber light, 10 LED
- CPL4R10** Red light, 10 LED (*Stop/Tail/Turn*)
- CPL4CL10** Clear light, 10 LED
- GP2** 3-wire plug
- G4G** 4" rubber grommet



4" Sealed Round LED Lights

- CPL4A** Amber turn signal light, 18 LED
- CPL4R** Red light, 18 LED (*Stop/Tail/Turn*)
- GP2** 3-wire plug
- G4G** 4" rubber grommet



4" Sealed LED Lights with Mirror Finish

- CPL4AM** Amber turn signal light, 24 LED
- CPL4RM** Red light, 24 LED (*Stop/Tail/Turn*)
- GP2** 3-wire plug
- G4G** 4" rubber grommet



6.5" Sealed Oval LED Lights

- CPL65R10** Red light, 10 LED (*Stop/Tail/Turn*)
- CPL65CL10** Clear light, 10 LED
- GP2** 3-wire plug
- G65G** 6.5" rubber grommet



6.5" Sealed Oval LED Lights

- CPL65A** Amber turn signal light, 20 LED
- CPL65R** Red light, 20 LED (*Stop/Tail/Turn*)
- GP2** 3-wire plug
- G65G** 6.5" rubber grommet



6.5" Sealed Oval LED Lights with Mirror Finish

- CPL65AM** Amber turn signal light, 24 LED
- CPL65RM** Red light, 24 LED (*Stop/Tail/Turn*)
- GP2** 3-wire plug
- G65G** 6.5" rubber grommet

LED MARKER & AUXILIARY LIGHTS



6.5" Sealed Oval LED Amber Sequencing Turn Signal Lights

CPL65A-SEQ 6.5" Amber oval light

- Dual Function, either trailing arrow or sequencing single arrow
- Uses G65G rubber grommet & GP3 plug



Clearance LED Marker/Utility Lights

CPL27A Amber Light, 3 LED
CPL27R Red Light, 3 LED

- High impact acrylic lens
- 2-3/4" center to center holes for mounting
- No plug needed - includes 2-wire pigtail



6.5" Sealed Oval White LED Back-Up Lights

CPL65CL 6.5" oval white, 28 LED

- GP2 3-Wire Plug
- G65G 6.5" rubber grommet



4" LED Pedestal Lights

CPL4RA-DC 4" Red/Amber LED
CPL4AA-DC 4" Amber/Amber LED
CPL4RCL-4W 4" Red/Clear LED

- LED lights with 42 diodes (21 per side) and chrome die cast housings



LED Stop, Tail, Turn with Backup Lights

CPL62 Without license light
CPL62L With license light



6.5" LED Amber Turn Signal Lights

CPL65A-SMA LED Amber

- Side marker & turn signal light w/ 18 LEDs
- Uses G65G rubber grommet & GP2 plug



Clearance LED Marker Light with Chrome Bezel

CPL50A Amber
CPL50R Red

- 4 LED, Built-in 2-wire pigtail



LED 2" Round Sealed Flange Mount Clearance Side Marker Lights

CPL2RF Red light, 2 wire
CPL2AF Amber light, 2 wire

- Polycarbonate lens and housing
- 10 LEDs per light
- Pigtail wires (no plugs needed)



4" Red Quad Flash LED Strobe Kit

CPL4R-STR Red Strobe Kit

- Self-contained flash unit
- Includes 2 lights, grommets and plugs



6.5" Amber Quad Flash LED Strobe Kit

CPL65A-STR Amber Strobe Kit

- Self-contained flash unit
- Strobe Kit (Includes 2 lights, grommets and plugs)



17" Identification Light Bars

CPL26R-3BAR LED
G26R-3BAR Incandescent

- Mounts on 16" centers
- 2.5" lights (3x included)

NEW



6.5" Sealed LED Red Oval Light with Flange Mount and Bezel

CPL65R7FB

- Red light with bezel
- 7 LEDs
- IP67



6.5" Clear Oval Utility Light

CPL65CL10FB Clear light with bezel

- Flush mount Design
- 10 LED clear light
- Built-in pigtail



4" Sealed Red LED Round Light with Flange Mount & Bezel

CPL4A10FB Amber light with bezel
CPL4R10FB Red light with bezel

- Flush Mount Design
- 10 LEDs
- Acrylic lens and ABS housing
- Built-in pigtail & hardware



6.5" Sealed LED Oval Light with Flange Mount & Bezel

CPL65A10FB Amber light with Bezel
CPL65R10FB Red light with Bezel

- Flush Mount Design & 10 LEDs
- Acrylic lens and ABS housing
- Built-in pigtail & hardware included

MOUNTING BOXES



Steel Mounting Boxes *Powder Coated*

- MT-BOX4** Steel box for ONE 4" round light (6.5" L x 6.5" H x 3" D)
- MT-BOX4-2** Steel box for TWO 4" round lights (12.5" L x 6" H x 3.5" D)
- MT-BOX65** Steel box for ONE 6.5" oval light (8.5" L x 4" H x 3.5" D)
- MT-BOX65-2** Steel box for TWO 6.5" oval lights (16.75" L x 4.25" H x 3.5" D)
- MT-BOX65-3** Steel box for THREE 6.5" oval lights (25" L x 4.25" H x 3.5" D)



ALUMINUM Mounting Boxes

- AL4R** Aluminum box for ONE 4" round light (6.5" L x 6.5" H x 3" D)
- AL4R2** Aluminum box for TWO 4" round lights (12.5" L x 6" H x 3.5" D)
- AL650** Aluminum box for ONE 6.5" oval light (8.5" L x 3.75" H x 3.5" D)
- AL6502** Aluminum box for TWO 6.5" oval lights (16.75" L x 4.25" H x 3.5" D)
- AL6503** Aluminum box for THREE 6.5" oval lights (25" L x 4.25" H x 3.5" D)

BTR-3-R



22" L x 6.75" H x 3.25" D

BTR-2-R



12.5" L x 6.75" H x 3.25" D

BTR-1-R



6.5" L x 6.5" H x 3" D

BTR-3-OV



25" L x 4.25" H x 3.5" D

BTR-2-OV



16.75" L x 4.25" H x 3.5" D

BTR-1-OV



8.5" L x 4.25" H x 3.5" D

Polyethylene Mounting Boxes - Will not warp or crack



Chrome Plated Plastic Bezels

- CPL1-BEZEL** 1" round chrome plated plastic bezel
- B2** 2" round chrome plated plastic bezel
- B25** 2.5" round chrome plated plastic bezel
- B4** 4" round chrome plated plastic bezel
- B55** 5.5" rectangular chrome plated plastic bezel
- B65** 6.5" oval chrome plated plastic bezel



LED 2 Function Safety Flashers with Heavy Duty Magnets

HF18A-PHD	Amber light, 18 LED
HF18R-PHD	Red light, 18 LED
HF18W-PHD	White light, 18 LED
HF18SG-PHD	Green light, 18 LED

Comes with 2 magnets - 25 lbs. pull each

These reliable safety flashers feature 18 highly visible, super bright LEDs that can be **seen up to 1 mile away!** They can be attached securely to the back of a vehicle, truck, car, trailer, emergency vehicle etc. with built in magnets.

The 18 LED lights can be set to flashing or steady lights. Use for any emergency situation - at home or on the road. All weather resistant. Approximate size is 6" wide by 4" high.

Will flash for up to 32 hours (or more) with 4 AA alkaline batteries.



Portable Magnetic Safety Lights

HF24A	Amber Light, 24 LED
HF24R	Red light, 24 LED

- 24 LED diodes
- 7" wide x 3" high
- Takes 4 AA batteries
- Can flash or be steady on
- Mounts vertical or horizontal

Removable 70 lbs. pull magnet



LED ROOFTOP LIGHT BARS



Multi-Function 34" LED Light Bar

STR-56

- Permanent mount & hardware included
- 34" long with 56 powerful amber LEDs
- 360 degree coverage
- 6 flash patterns including traffic control pattern, center-out, right to left and left to right

34" long

Multi-Function 23" LED Light Bar

STR-40-S Suction mount (pictured)
STR-40 Permanent mount

- Choose between suction mount & permanent mount
- 23" long with 40 powerful amber LEDs
- 360 degree coverage
- 6 flash patterns including traffic control pattern, center-out, right to left and left to right



23" long

Multi-Function LED Light Bar

STR51AAC-V2 51 inches long
STR56AAC-V2 56 inches long (pictured)

- Permanent mount with hardware included
- Choose between 51" & 56" long
- 360 degree coverage
- 6 flash patterns including traffic control pattern, center-out, right to left and left to right



51" or 56" long

Multi-Function 56" LED Light Bar with S/T/T

STR56STT-V2

- Permanent mount with hardware included
- 56" long with 18 amber modules
- 360 degree coverage
- 6 flash patterns including traffic control pattern, center-out, right to left and left to right
- Red modules on rear end of the bar have stop / tail / turn functions
- **Video Demonstration available on our website!**



56" long

LED ROOFTOP LIGHT BARS



LED Magnetic Mini Strobe Bar

STR13A-MAG Amber
STR13AW-MAG Amber/White (pictured)

- 13" long x 8.5" wide x 3.25" high, 13 ft. cord
- 6 bright 10-watt LED's, 360 degree coverage
- 10 flash patterns controlled from the cigarette lighter plug
- 2 strong magnets for mounting
- COB (Chip on Board) light source
- **Video Demonstration available on our website!**



LED Mini Strobe Bar

STR11AP Amber, Permanent mount
STR11A-MAG Amber, Magnetic mount

STR11RP Red, Permanent mount
STR11R-MAG Red, Magnetic mount

STR11AWP Red, Permanent mount
STR11AW-MAG Red, Magnetic mount

- 11" long x 6.5" wide x 1.75" high, 15 ft. cord
- 40 watts, 10-30V operating voltage
- 10 flash patterns
- Cigarette plug on/off switch
- IP67 waterproof rating
- **Video Demonstration available on our website!**



LED Amber/White Strobe with Dashboard Controller

IMPORTANT TO NOTE ON THE 29" MINI BAR:

The mini-version is a strobe-only light bar that matches the appearance of the larger bars but runs on its own separate cable, making it run completely separate from the main bar for use on pylons, headach rack wings, or smaller vehicles. The 29" bar still has multiple flash pattern capability but **does not operate off a control box and doesn't have take down lights and STT lights.**

STR-LB29AW



29" long

STR-LB56AW



56" long

- 29" or 56" long Amber/White strobe light bar
- 30 different flash patterns
- Control pad is small and mounts easily in the cab
- 25 ft. cord from light bar to control pad
- LED side marker lights
- LED alley lights with on/strobe option
- LED Stop/Tail/Turn red rear facing lights
- LED take down lights with on/strobe option
- Has quiet mode which allows you to use only the front or back or the light bar depending on traffic direction
- Arrow stick / traffic control built in with 7 patterns for each function
- Day/Night mode for 30% less brightness
- Adjustable mounting brackets with rubber insulators included



LED Submersible Trailer Lights

CPL001 Trailer light
CPL002 Trailer light with license light

- 12 LEDs



LED Trailer Lights

CPL100 Without license light
CPL100L With license light

- 15 LEDs



LED Over 80" Submersible Trailer Lights

CPL001-80 Without license light
CPL002-80L With license light

- Acrylic lens / high impact housing
- Stop/Tail/Turn rear and side reflector, side marker and license illuminator



LED Over 80" Wide Submersible Trailer Lights

CPL83 Without license light
CPL83L With license light

- Acrylic lens / polypropylene housing
- 18 gauge wire



Incandescent Trailer Lights

TL01 Non-submersible S/T/T light
TL01L Non-submersible S/T/T with license light



Incandescent Agricultural Light Kit

AG-KIT-MAG With magnet kit (pictured)
AG-KIT Without magnet kit

- 4 amber lights (forward & rear facing) & 2 red lights (rear facing) per kit
- 35' wishbone harness with 7-pin plug
- Individual light units available



LED Agricultural Light Kit

AG-KIT-LED Standard LED AG Kit (pictured)
AG-KIT-LED-MAG AG Kit with Magnet Kit
AG-KIT-LED-HD AG Kit with Heavy Duty cable
AG-KIT-LED-HD-MAG AG Kit with Heavy Duty cable & Magnet Kit

- 4 amber LED lights & 2 red LED lights per kit
- Kit has turn signal function, tail light and brake functions
- 35' bonded cable (wishbone) with 7-pin plug
- Individual light units available



ENHANCEMENT MODULE

Agricultural Light Kit with Enhancement Module

AG-KIT-LED-ENH LED (pictured)
AG-KIT-ENH Incandescent

- 4 amber lights and 2 red LED lights per kit
- Kit has turn signal function, tail light and enhanced brake & turn functions
- Lighting enhancement module with 6' lead cord
- 35' bonded cable (wishbone) with 7-pin plug
- Also available with magnet kit and/or heavy duty cable
- Individual light units available



Heavy Duty Incandescent Agricultural Light Kit

AG-KIT-HD AG Kit with heavy duty cable (pictured)
AG-KIT-HD-MAG AG Kit with heavy duty cable & magnet kit

- 4 amber lights and 2 red lights per kit
- Kit has turn signal function, tail light and brake functions
- 35' bonded cable (wishbone) with 7-pin plug
- Individual light units available



LED Flood Light for John Deere Equipment

WL12JDF

- Fits in John Deere Equipment
- 12 Watts, 1080 lumens, 2 pin connection
- Four 3-Watt high intensity CREE LED diodes
- IP68 waterproof rating
- Die cast aluminum housing & polycarbonate lens



Tractor Light Control Box

LCB400

- Connect to 12V Battery
- Accepts 7 round plugs
- Magnet Mount
- Controls Tail lights, turn signals & emergency flashers



Incandescent Round Base Heavy-Duty Towing Lights

HDTL30B 4R Plug Stock Box

- 30 ft. cord
- 7 ft. span
- 70lb strong magnets

Available with any plug. Just CALL us at 800-490-3158.



Incandescent Round Base Heavy-Duty Towing Lights

HDTL30CC 4R Plug Carry case

- 30 ft. cord
- 7 ft. span
- 70lb strong magnets

Available with any plug. Just CALL us at 800-490-3158.



LED Round Base Heavy-Duty Magnetic Towing Lights

LED30B 4R Plug Stock Box

- 30 ft. cord
- 7 ft. span
- 70lb strong magnets

Available with any plug. Just CALL us at 800-490-3158.



LED Round Base Heavy-Duty Towing Lights

LED30CC 4R Plug Carry case

- 30 ft. cord
- 7 ft. span
- 70lb strong magnets

Available with any plug. Just CALL us at 800-490-3158.

LED WORK LIGHT BARS



21" LONG

14" LONG

7" LONG

Combo Flood/Spot LED Work Light Bars

WL120WBARCB 120-watt LED bar with 40 diodes - 8800 lumens
WL72WBARCB 72-watt LED bar with 24 diodes - 5280 lumens
WL36WBARCB 36-watt LED bar with 12 diodes - 2640 lumens

- 10-30V operation
- IP67 waterproof rating
- Includes "L" shaped end brackets
- Includes adjustable bottom brackets (pictured)
- Die cast aluminum housing
- **Video Demonstration available on our website!**

Combo Flood/Spot LED Off-Road Work Light Bars

- IP67 waterproof rating
- 12-24V operation
- Polycarbonate lens
- 2 mounting brackets included



15" LONG

WL60WBARC
● 5,400 lumens
● 60 Watts



22.5" LONG

WL100WBARC
● 9,000 lumens
● 100 Watts




41.5" LONG

WL240WBARC
● 21,600 lumens
● 240 Watts



50" LONG
41.5" long, straight

WL240WBAR-CURV
● 21,600 lumens
● 240 Watts



NEW

LED Work Light/Amber Strobe Combo

WL54AW

- 27-watt White LED Flood light
- 27-watt Amber LED Flood light
- 12-24V operation
- IP68 waterproof rating
- Die cast Aluminum housing
- 6" L x 1.5" H x 2" D



48-Watt LED Pedestal Light

WL48F-V2

- 3600 lumens
- 10-30V operation
- 4.25" x 4.25" lens
- IP67 waterproof rating
- Unique diamond cut polycarbonate lens for diffused flood light



18-Watt LED Slim Flood Light

WL19F-V2

- 1350 lumens
- 10-30V operation
- 6.5" L x 1.75" H x 2.5" D
- 90 degree flood
- Die cast aluminum housing
- Polycarbonate lens



22-Watt LED Slim Work Light

WL22RCT

- 2850 lumens
- 10-30V operation
- IP67 waterproof rating
- 6" L x 3.75" H x 1.25" D
- 60 degree flood pattern



15-Watt Compact LED Light

WL15SMTM

- 1260 lumens
- 10-30V operation
- 1.75" H x 3" L x 0.5" D
- 90 degree flood
- Rubber mounting pads
- Surface or pipe mount



Par 36 LED Retrofit 18-Watt

WL18-HP Flood
WL18HP-TRAP Trapezoid

- 1500 lumens
- 12-24V operation
- 4.5" diameter
- CREE diodes & Polycarbonate lens
- Fits in PAR36 Housing (CP2203)



Par 36 LED Retrofit 24-watt

WL24HL High/Low Beam



STR-HEX30

LED 30-watt Hexagon Shaped Work Light, 2964 Lumens



18-Watt LED Flood Light

WL18F-V2

- 1350 lumens
- 10-30V operation
- Durable aluminum housing
- 4.5" diameter lens
- IP67 waterproof rating



18-Watt LED Flood Light

WL18RCT-V2

- 1350 lumens
- 10-30V operation
- 60 degree flood pattern
- 4.4" x 2.5" x 2.25"
- IP67 waterproof rating



16-Watt LED Flood Light with Switch

WL16FQ-SW

- 1250 lumens
- 10-30V operation
- Die cast aluminum housing
- Lens: 3.25" x 3.25"
- 4.5" lens
- IP67 waterproof rating
- Waterproof sealed switch



10-Watt LED Flood Light

WL10F-V2

- 700 lumens
- 10-30V operation
- 40 degree flood pattern
- Diodes
- Waterproof sealed to IP67
- 2.6" x 2.6" x 2.6"



27-Watt LED Flood Light

WL93FR-V2 Round light
WL93FW-V2 Square light

- 1800 lumens
- 10-30V operation
- Waterproof sealed to IP67



24-Watt LED Flood Light

WL83FR-V2 Round light
WL83FQ-V2 Square light

- 1680 lumens
- 10-30V operation
- Waterproof sealed to IP67



20-Watt LED Flood Light

WL20WF-V2

- 1100 lumens
- 10-30V operation
- CREE diodes
- 4.4" x 2.5" x 2.25"
- Waterproof sealed to IP67



15-Watt LED Flood Light

WL15F-V2

- 1200 lumens
- 10-30V operation
- 4.25" x 4.25" lens
- Less than 1.5" thickness

STROBE BEACONS



HF20RL



HF20RL-R



HF20RL-B



HF20RL-W

LED Battery Operated Rotating Beacon *Magnet Mount*

- LED Rotating Beacon
- 25 lb. pull magnet
- Battery operated (Takes 4 AA Batteries)
- Adjustable rotation speed
- 5" diameter x 4¼" high
- Use on farm equipment, warehouse equipment, cars or trucks



HF45A

HF45R

LED Battery Operated Flashing/Rotating Beacon

Magnet Mount

- Battery operated (Takes 4 AA Batteries)
- Can flash or rotate
- IP65 waterproof rating
- Durable polycarbonate lens
- Strong magnetic mount
- Flashing: 180/min.
- Rotating: 85/min.



27-Watt LED Class I Rotating Beacon

Magnet Mount / corded w/cig plug

STR27RFM

- Can be permanent or magnet mount
- Class I
- 10-30V operation
- IP65 waterproof rating
- Can flash or rotate
- 7.5 Watts
- Cigarette plug
- 5.59" diameter x 4.29" high



Quad Flash 60 LED Strobe Beacon

Permanent Mount

STR-60LED

- Class I
- 10-30V operation
- Flange Mount
- 5" diameter x 5" high
- 60 bright LEDs



Quad Flash 120 LED Strobe Beacon

Permanent Mount

STR-120LED

- Class I
- 10-30V operation
- Permanent mount with rubber case
- 5" diameter x 4.75" high
- 120 bright LEDs

36-Watt Class LED Amber Beacon Light



STR-36LED

- Polycarbonate Lens
- 12-36V operation
- Includes 4 flash patterns & 2 rotating patterns
- IP66 Waterproof rating
- 4.75" diameter
- Permanent or Din Mount



STR36DIN

Pole Mount Rotating Beacon Light

STR-DIN-A

- Polycarbonate amber lens
- 55-watt rotating light
- Flexible hard rubber case




Mounting bracket for DIN rotating light



MNT-B MNT-R

- Light slides onto this pole for quick mounting
- Threaded to mount 1" hole



LITE^oIT



Colors Available in 4 LEDs

- STR41A** Amber (pictured)
- STR41W** White
- STR41BW** Blue/White
- STR41AW** Amber/White (pictured)

LED Slim Line Strobes

- 19 flash patterns
- Can synchronize with other lights
- Very Low profile - only .5" thick
- IP67 waterproof rating
- 12-24 volts operation
- Weatherproof with vibration resistant design
- 1.25" high x .5" deep
- 6 LEDs are 4½" long
- 4 LEDs are 3¾" long



Colors Available in 6 LEDs

- STR61A** Amber
- STR61B** Blue
- STR61W** White
- STR61R** Red
- STR61AW** Amber/White (pictured)
- STR61GA** Green/Amber
- STR61GW** Green/White
- STR61RB** Red/Blue
- STR61RW** Red/White



LED Slim Line Strobes

- STR-XLA1** Amber LEDs with Clear Lens
- STR-XLAW1** Amber/White with Clear Lens

- LED Modules up to 12 units synchronized at a time
- Alternating function as well as 24 flash patterns
- 12-24V operation (0.43A-0.23A)
- IP67 waterproof rating
- SAE J595 Class I, ECE R65 XA1, XB1 / ECE R10
- Available in Amber or Amber / White
- Reverse polarity protected



2 Double Color 18-Watt LED Lights

- STR1AW-LED** Amber & White
- STR1RW-LED** Red & White


- Waterproof connectors
- 6-foot main cable
- 9-feet of cable between lights
- 14 different flash patterns
- Low-power consumption LEDs
- 2 3/8" x 2" black bezel
- 1" diameter when used as hideaway
- Can be synchronized with multiple lights



18-watt High Powered Strobe with Built-in LED flood Work Light

- STR63AF** Amber
- STR63AWF** Amber / White

- Six High powered 3-watt LED for Strobe
- Steady on 5-watt White LED Flood Light
- Screw mount with rubber gasket
- 10 Flash Patterns
- 10-30V
- Synchronize or alternate any 2 or more lights



LED High Power Strobe Lights

- Polycarbonate lens
- 4-watt LEDs
- Extremely bright LEDs
- 4.85" L x 2" H rectangular
- Self contained
- Polished aluminum base
- 10-30V operation
- 0.5 amp draw
- Flush mount



STRL4W
White



STRL4A
Amber



STRL4R
Red

10-Watt LED Strobes

- STR1A-LED** Amber
- STR1R-LED** Red
- STR1W-LED** White



- Surface mount or flush mount with bracket (*included*)
- 14 flash patterns
- Extremely powerful 10-watt diode
- Lens is 1" diameter
- Can be mounted inside headlights & tail lights

Led Mini-Extreme Strobe Lights



- STR-MXA** Amber
- STR-MXR** Red
- STR-MXW** White

- 17 flash patterns in alternating mode, synchronized mode, or steady mode
- Circuit protection keeps LED cooler by lowering power to extend the life of the LED
- IP67 waterproof rating
- Lens is 1" diameter
- 1.5" diameter on total light
- 1.375" between screw holes
- 10-30V operation
- **Video Demonstration available on our website!**

Quad Flash Strobe Relay for LED Lights

STR-QRLY

- Hook up to any LED light and make it strobe
- Drives up to 420mA or a pair of "most" LED tail lights



Multi-Function Strobe Relay for LED Lights

STR-MRLY

- Hook up to any LED light and make it strobe
- Drives up to 420mA or a pair of "most" LED tail lights
- Several selectable flash patterns



Dual Row Strobes

- STR8W** White
- STR8A** Amber
- STR8AW** Amber/White
- STR8AG** Amber/Green



- 15 flash patterns
- Synchronize function with more lights
- Operating voltage: 10-30V
- Surface mount
- 4.5" wide x 3" high x 1.25" deep
- Available in 4 color options



LED High Power Strobe Light

- STR3R** Red
- STR8A** Amber
- STR8W** White

- DC 10-30V operation
- Available in amber, red & white
- 4.9" L x 1.75" H x .9" D

- Synchronize or stand-alone operation
- 15 flash patterns
- Amp draw less than 0.5A

LED TOW LIGHT BARS



- All units have LED side markers
- Cables sold separately



25" LONG

BTR-25

- Powered by 4-Pin Socket



36" LONG

BTR-36-SM


- Separate turn and brake signals
- Comes with both 4 and 7 pin sockets



48" LONG

BTR-48-0

- Separate turn and brake signals
- Comes with 7 pin heavy duty round socket



48" LONG

BTR-48-R

- Separate turn and brake signals
- Comes with 7 pin heavy duty round socket



48" LONG

BTR-48-RF

- Separate turn and brake signals
- Includes 2 flashing amber lights
- Comes with 7 pin heavy duty round socket



48" LONG

BTR-48-R9

- Separate turn and brake signals
- 2 extra 4" brake lights
- Comes with 7 pin heavy duty round socket

BTR-60-R

also available

Heavy-Duty Extensions

EXT30-4PP	30'	16/4 cord	4 plug to 4 plug
EXT60-4PP	60'	16/4 cord	4 plug to 4 plug



Heavy-Duty Extensions

EXT30-7PP	30'	14/7 cord	7 plug to 7 plug
EXT60-7PP	60'	14/7 cord	7 plug to 7 plug
EXT30-7PP-6	30'	16/6 cord	7 plug to 7 plug
EXT60-7PP-6	60'	16/6 cord	7 plug to 7 plug

INCANDESCENT TOW LIGHT BARS



- Cables sold separately
- Rubber strap mounting

- Available in white PVC only



WP36SM
 36" LONG
 ● Separate turn and brake signals
 ● Comes with 4 and 7 pin sockets



WP48R
 48" LONG
 ● Separate turn and brake signals
 ● Comes with 4 and 7 pin sockets



WP48R-F
 48" LONG
 ● Separate turn and brake signals
 ● Includes 2 amber flashers
 ● Comes with 4 and 7 pin sockets



WP60R
 60" LONG
 ● Separate turn and brake signals
 ● Comes both 4 and 7 pin sockets



WP60R-F
 60" LONG
 ● Separate turn and brake signals
 ● Comes with 4 and 7 pin sockets

Heavy-Duty Extensions

EXT30-4PP	30'	16/4 cord	4 plug to 4 plug
EXT60-4PP	60'	16/4 cord	4 plug to 4 plug



Heavy-Duty Extensions

EXT30-7PP	30'	14/7 cord	7 plug to 7 plug
EXT60-7PP	60'	14/7 cord	7 plug to 7 plug
EXT30-7PP-6	30'	16/6 cord	7 plug to 7 plug
EXT60-7PP-6	60'	16/6 cord	7 plug to 7 plug



REGISTER YOUR LIGHT BAR

- Auto-grade circuitry
- All connectors are shrink-tube
- All lights are hard wired
- 3 year warranty
- FCC approved
- Individually serialized and programmed to eliminate cross talk between other units
- Lights come with transmitter, 12V charger and port covers
- Run times from 6-8 hours
- 1000 foot line of site visibility
- Charge indicator light
- Made in the U.S.A.

Lite-It Wireless Tow Lights are unsurpassed in durability. Among the many features, our units are individually serialized to protect against loss, theft and prevent cross talk between other units in the vicinity. All Lite-it Wireless tow lights are FCC approved. Each bar or set have full stop, turn signal, tail light and side marker functions. The tail lights only come on when they are needed thus saving battery life.



RC-Monitor Kit

LIW-RC-MON

- Monitors battery strength and status
- dB alarm and red warning light when bar is left behind
- Individually programmed to your light bar
- No additional wiring needed



Agricultural Wireless Tow Lights

LIW-AGKIT

- 120# pull rubber coated magnetic mount
- 2.5" strobes on front to warn oncoming traffic
- Available in safety green
- 7 blade connection (also available in 4 or 6-pin round)



23" Light Duty Tow Light

LIW-LDTL

- Magnetic mount
- 4-Pin connection (7B or 7R available)



25" Wide

LIW-250-4 (pictured)

LIW-250-FL-4 (not pictured)

- Three 2" center markers on LIW-250-4
- Two 105# pull rubber coated magnet mounting
- 4 Pin connection



36" Wide with Amber/White Strobes

LIW-36STR-7R

- Two amber/white strobes operated on a separate switch
- Rubber strap mounting
- 7-Pin connection



36" Wide

LIW-36R-7R

- Rubber strap mounting
- 7-Pin connection

48" Wide

LIW-48R-7R

- Rubber strap mounting
- 7-Pin connection



48" Wide with Flashers

LIW-48RFS-7R

- Auto delay flasher that turns off when a turn signal or brake is applied.
- Rubber strap mounting plus ratcheting straps
- 7-Pin connection



60" Wide

LIW-60R-7R

- Rubber strap mounting
- 7-Pin connection



60" Wide with Flashers

LIW-60RFS-7R

- Auto delay flasher that turns off when a turn signal or brake is applied.
- Rubber strap mounting plus ratchet straps
- 7-Pin connection



Rubber Mounting Grommets

G2G	2" Round	G26G	2.5" Rectangular
G25G	2.5" Round	G55G	5.5" Rectangular
G25G-O	2.5" Open Back	G4G	4" Round
G25G-CB	2.5" Closed Back	G65G	6.5" Oval



Steel Mounts for Lights

MNT2	Fits 2" grommet & light
MNT25	Fits 2.5" grommet & light
MNT4R	Fits 4" grommet & light
MNT65	Fits 6.5" grommet & light

7-Pin to 7-Pin Cable Union

BTR-7-CU



Heavy-Duty Extensions

EXT30B	30'	16/4 cord	4 plug to 4 socket
EXT60B	60'	16/4 cord	4 plug to 4 socket



Rubber Boots for Magnets

MB100 Rubber Boots (pair)

- Protects against scratching
- Fits CP0808 magnet



Dual Purpose Mounting Bracket

MNT-STRL

- Aluminum mounting bracket for STRL lights
- Bracket is pre-drilled for mounting 3 of our CPL1 lights



Tow Light Partners

TLP01 Tow light partners (pair)

- For use with magnets on non-metallic surfaces



Bulk Trailer Wire

CP39D	16/4 trailer cable
CP39C	16/6 trailer cable
CP39F	14/7 trailer cable
CP39G	14/2 trailer cable



Square Magnetic Base

CP70
• 90# pull



Replacement Magnets

CP0850	35# pull	2 1/6" diameter
CP0865	65# pull	2 3/4" diameter
CP0808	95# pull	3 1/4" diameter
CP0885	110# pull	3 7/8" diameter

PLUGS



SOCKETS



ADAPTERS



PREWIRED FOR 4-FLAT



- 1. **PLG4R** 4-round plug with wire guard, die cast, trailer end
- 2. **PLG4R-SKT** Receiver socket for 4-round plug, die cast, truck end
- 3. **PLG6R** 6-round plug with wire guard, die cast, trailer end
- 4. **PLG6R-SKT** Receiver socket for 6-round plug, die cast, truck end
- 5. **PLG7B** 7-blade plug, no wire guard, ABS, trailer end
- 6. **PLG7B-SKT** 7-blade receiver socket, ABS, truck end
- 7. **PLG7R** 7-round plug with wire guard, ABS, trailer end
- 8. **PLG7R-SKT** 7-round receiver socket, ABS truck end
- 9. **PLG7R-DC** 7-round plug with wire guard, die cast, trailer end
- 10. **PLG7RSKT-DC** 7-round receiver socket, die cast, trailer end
- 11. **ADP001** Adapter, 4-round to 4-flat (1 piece)

- 12. **ADP6R-4F** Adapter, 6-round to 4-flat
- 13. **ADP7B-6R** Adapter, 7-blade to 6-round
- 14. **ADP7B-4F** Adapter, 7-blade to 4-flat
- 15. **ADP7B-5F** Adapter, 7-blade to 5-flat
- 16. **ADP7P-4F** Adapter, 7-round to 4-flat
- 17. **ADP7R-7B** Adapter, 7-round trailer to 7-blade truck end
- 18. **ADP7B-7R** Adapter, 7-blade trailer to 7-pin truck end
- 19. **ADP7R-4R** Adapter, 7-round to 4-round socket
- 20. **KIT-7B-4** 7-blade connector kit, prewired for 4-flat
- 21. **KIT-7P-4** 7-pole connector kit, prewired for 4-flat
- 22. **KTI-6R-4** 6-round connector kit, prewired for 4-flat



LED License Lights

- LL-LED-CHR Chrome
 LL-LED Black
- 2 wire



Green or Red Boat "Bow" Light LED

- BOW-GR-B Green
 BOW-RED-B Red



Back-Up Alarm

- BK97DB
- 97 dB
 - 12-24V Operation
 - Surface mount



LED Interior Light No Switch

- IL700NS
- 700 Watts
 - 10-30V
 - 5.25" Diameter
 - Surface mount



LED Interior Light Touch Switch

Touch sensitive switch
 ON / DIM / OFF

- IL700TS
- 700 Watts
 - 10-30V
 - 5.25" Diameter
 - Surface mount



Clear Interior LED Light

- CPL33C
- With chrome bezel
 - 4 LED
 - Built-in 2 wire



WL9PL-B WL9PL-W

- 9-watt Perimeter Light
- 40 degree angle
- Surface mount. 5"long



WL18PL-B WL18PL-W

- 18-watt Perimeter Light
- 40 degree angle
- Surface mount. 9"long



WL27PL-B WL27PL-W

- 27-watt Perimeter Light
- 40 degree angle
- Surface mount. 12.9"long



1/2 Moon Reflectors

- RFL-HMA Amber
- RFL-HMR Red
- RFL-HMA-12 Amber (12-pack)
- RFL-HMR-12 Red (12-pack)

- Adhesive backs



Adhesive Reflectors

- RFL-12R
- RFL-12W

- 12" x 1"
- Adhesive backs & mounting holes

CONSPICUITY / REFLECTIVE TAPE

Rolls



- CTRW-30RL 30' roll Red/Silver reflective
- CTRW-150RL 150' roll Red/Silver reflective
- CTRW-150RL-DP 150' roll Red/Silver reflective (diamond plate pattern)
- CTRED-30RL 30' roll Red reflective
- CTRED-150RL 150' roll Red reflective
- CTYELLOW-30RL 30' roll Yellow reflective
- CTYELLOW-150RL 150' roll Yellow reflective
- CTOR-30RL 30' roll Fluorescent orange
- CTOR-150RL 150' roll Fluorescent orange
- CTWHITE-30RL 30' roll Silver reflective
- CTWHITE-150RL 150' roll Silver reflective


Strips

- CT-YELLOW 9" strip Yellow reflective
- CT-RED 9" strip Red reflective
- CT-WHITE 9" strip Fluorescent silver
- CTRW-18 9" strip Red/Silver

Emergency Warning Triangles

EMT3-KIT-1

- Weighted
- Three in compact case



Reflective Slow Moving Vehicle (SMV) Emblem

- EMB20A Adhesive SMV sticker
- EMB20GM Galvanized metal SMV sign
- EMP20P Plastic backed SMV sign
- EMB-HDW-SKT Mount kit receiver
- EMB-HDW-SPD Mount kit spade

All SMV signs conform to ASAE S276.8



INCANDESCENT LIGHTS



- | | | | |
|------------------|---|-----------------|--|
| G119A | 4" X 1.5" Amber Lamp w/ Reflex, 1 Wire | G2R-K | 2" Round Red Light, Grommet, Plug |
| G119R | 4" x 1.5" Red Lamp w/ Reflex, 1 Wire | G2RPC | 2" Round Red Sealed Clearance/Marker Light |
| G120A | 4" x 2" Amber Sealed Bullseye Light | G3A | 3 16/16" Amber Sealed Clearance/Marker Light |
| G120B-C | Chrome Plated Steel Bracket for 120 Series Lights | G3A-K | 3 13/16" Amber Light, Mounting Bracket |
| G120R | 4" x 2" Red Sealed Bullseye Light | G3B-B | Black Mounting Bracket for G3A, G3R, CPL375A, CPL375R |
| G25A | 2.5" Round Amber Sealed Clearance/Marker Light | G3B-C | Chrome Mounting Bracket for G3A, G3R, CPL375A, CPL375R |
| G25A-K | 2.5" Round Amber Light, Grommet, Plug | G3R | 3 13/16" Red Sealed Clearance/Marker Light |
| G25APC | 2.5" Round Amber Sealed Clearance/Marker Light, PC Rated | G3RA | 3 13/16" Red/Amber Sealed Clearance/Marker Light |
| G25AR-K | 2.5" Round Amber Light w/ Reflex, Grommet, Plug | G3RA-K | 3 13/16" Red/Amber Light, Mounting Bracket |
| G25B-G | Surface Mount Bracket for 2.5" Lights w/ Grommet | G3R-K | 3 13/16" Red Light, Mounting Bracket |
| G25G | 2.5" Round Rubber Grommet | G42A | 4" x 2" Amber Oblong Marker Light |
| G25G-CB | 2.5" Round Rubber Grommet, Closed Back | G42R | 4" x 2" Red Oblong Marker Light |
| G25G-O | 2.5" Round Rubber Grommet, Open Back | G4A | 4" Round Amber Sealed Turn Signal Light |
| G25R | 2.5" Round Red Sealed Clearance/Marker Light | G4A-K | 4" Round Amber Light, Grommet, Plug |
| G25R-K | 2.5" Round Red Light, Grommet, Plug | G4CL | 4" Round Clear Sealed Back-Up Light |
| G25RPC | 2.5" Round Red Sealed Clearance/Marker Light, PC Rated | G4CL-K | 4" Round Clear Light, Grommet, Plug |
| G25R-R | 2.5" Round Red Sealed Clearance/Marker Light, w/ Reflex | G4G | 4" Round Rubber Grommet |
| G25RR-K | 2.5" Round Red Light w/ Reflex, Grommet, Plug | G4R | 4" Round Red Sealed Stop/Tail/Turn Light |
| G26A | 2.5" x 1.25" Rectangular Amber Clearance/Marker Light | G4R-K | 4" Round Red Light, Grommet Plug |
| G26A-K | 2.5" x 1.25" Rectangular Amber Light, Mounting Bracket | G4R-R | 4" Round Red Sealed Stop/Tail/Turn Light, w/ Reflex |
| G26APC | 2.5" x 1.25" PC Rated Amber Sealed Clearance/Marker Light | G55A | 5.5" x 3.5" Amber Sealed Turn Signal Light |
| G26B-C | Chrome Mounting Bracket for G26A, G26R, CPL26A, CPL26R | G55A-K | 5.5" x 3.5" Amber Light, Grommet, Plug |
| G26G | 2.5" Rectangular Rubber Grommet | G55G | 5.5" Rectangular Grommet |
| G26R | 2.5" x 1.25" Red Clearance/Marker Light | G55R | 5.5" x 3.5" Red Sealed Stop/Tail/Turn Light |
| G26R-3BAR | Identification Light Bar w/ 3 G26R Lights | G55RCL | 5.5" x 3.5" Red Sealed Stop/Tail/Turn Light w/ Clear Back-Up Light |
| G26R-K | 2.5" x 1.25" Rectangular Red Light, Mounting Bracket | G55RCL-K | 5.5" x 3.5" Red Sealed Stop/Tail/Turn/Back-Up Light, Grommet, Plug |
| G26RPC | 2.5" x 1.25" Rectangular Red Light, PC Rated | G55R-K | 5.5" x 3.5" Red Sealed Stop/Tail/Turn Light, Grommet, Plug |
| G275A | 2 7/8" x 2 1/8" Amber Marker Light | G65A | 6.5" Oval Amber Sealed Turn Signal Lamp |
| G275R | 2 7/8" x 2 1/8" Red Marker Light | G65A-K | 6.5" Oval Amber Light, Grommet, Plug |
| G2A | 2" Round Amber Sealed Clearance/Marker Light | G65ASMA | 6.5" Oval Amber Side Marker Sealed Turn Signal Lamp |
| G2A-K | 2" Round Amber Light, Grommet, Plug | G65CL | 6.5" Oval Clear Sealed Back-Up Light |
| G2APC | 2" Round Amber Sealed Clearance/Marker Light, PC Rated | G65CL-K | 6.5" Oval Clear Light, Grommet, Plug |
| G2B-G | Surface Mount Bracket for 2" Lights w/ Grommet | G65G | 6.5" Oval Rubber Grommet |
| G2G | 2" Round Rubber Grommet | G65R | 6.5" Oval Red Sealed Stop/Tail/Turn Lamp |
| G2R | 2" Round Red Sealed Clearance/Marker Light | G65R-K | 6.5" Oval Red Light, Grommet, Plug |

CUSTER PRODUCTS WARRANTY



CPL products	3 Year Limited Warranty*
STR & STRL Lights	3 Year Limited Warranty*
WL products	3 Year Limited Warranty*
Battery Operated Lights	2 Year Limited Warranty*
HID products	1 Year Limited Warranty*
Wired Light Bars & Tow Lights	3 Year Limited Warranty*
Incandescent Lights	3 Year Limited Warranty*
LIW Light Bars	3 Year Limited Warranty*

***Product must be received & inspected prior to credit issuance.**

Returns

Any and All returns must be authorized by Custer Products. Limited Warranty Items will be tested, repaired and returned whenever possible. If the product is deemed defective and within warranty, Custer Products will have the option to replace or credit the lowest product selling price within the warranty period.

Restocking Charge

A 15% restocking charge will be assessed to any non – defective product return

Limited Warranty

Custer Products Ltd. warrants its products to be free from defects in material and workmanship under normal use and services as set forth in this Limited Warranty.

General 1, 2 and 3 Year Limited Warranty

Custer warrants to the original purchaser only each new product made by Custer which proves to be defective in material or workmanship within the limited warranty period from the date of shipment. Custer will, at Custer's option, repair or replace without charge upon return to Custer of the defective product, provided any defect in the product is brought to the attention of Custer within the terms of this limited warranty period. The above limited warranty does not apply, and no warranty, either express or implied shall be applicable (a) to damage resulting from accident, alteration, misuse or abuse; (b) if the product is not installed, operated and maintained according to procedures recommended by Custer; or (c) if the serial number, date code, or other identifying marks affixed to the product by Custer are removed, obliterated or defaced. In no case shall the limited warranty be extended to defects in materials components (including but not limited to bulbs), or services furnished by third parties, nor to the installation of the product performed by third parties. If any repairs are made to any Custer's products, components, or if any parts thereof are replaced or altered, or any attachments are added to any Custer's products or components during the warranty period by anyone other than an authorized Custer distributor in accordance with service manuals, parts, accessories, or attachments, authorized by Custer for use in Custer's products, the purchaser shall pay for such repairs, parts, attachments and alterations without recourse against Custer, and Custer shall be relieved of responsibility for fulfillment of the limited warranty with respect to such affected products or components.

Thank You

FOR CHOOSING CUSTER PRODUCTS

